Amendments to the Claims

Please amend the claims as follows (the changes are shown with strikethrough for deleted matter and underlining for added matter). A complete listing of the claims are listed below with proper claim identifiers.

- 1. (Original) A ubiquinone supplementation food which is obtainable by adding a composition containing ubiquinone and an oil/fat.
- 2. (Original) The ubiquinone supplementation food according to Claim 1, which contains 0.001 to 50% by weight of ubiquinone based on the total weight of the food.
- 3. (Currently Amended) The ubiquinone supplementation food according to Claim 1 or 2Claim 1,

which contains 0.01 to 50% by weight of ubiquinone based on the total weight of the oil/fat.

4. (Currently Amended) The ubiquinone supplementation food according to any one of Claims 1 to 3 Claim 1,

wherein the oil/fat has a melting point of not lower than 20°C.

- 5. (Original) The ubiquinone supplementation food according to Claim 4, wherein the composition containing ubiquinone and an oil/fat is obtainable by dissolving ubiquinone in the oil/fat having a melting point of not lower than 20°C under heating, and solidifying or plasticizing the obtained mixture, or preparing the obtained mixture into an oil-in-water emulsion or a water-in-oil emulsion.
- 6. (Currently Amended) The ubiquinone supplementation food according to any one of Claims 1 to 3Claim 3,

wherein the oil/fat has a melting point of below 20°C.

- 7. (Original) The ubiquinone supplementation food according to Claim 6, wherein the composition containing ubiquinone and an oil/fat is obtainable by dissolving ubiquinone in the oil/fat having a melting point of below 20°C under heating, and preparing the obtained mixture into an oil-in-water emulsion.
 - 8. (Canceled)
- 9. (Currently Amended) The ubiquinone supplementation food according to any one of Claims 1 to 8Claim 1,

which further contains an antioxidant and/or an edible color.

- 10. (Original) The ubiquinone supplementation food according to Claim 9, wherein the antioxidant and/or edible color is at least one species selected from the group consisting of ascorbyl palmitate, ascorbyl stearate, catechin, lecithin, tocopherol, tocotrienol, lignan, and carotenoid.
 - 11. (Original) An edible oil/fat composition which contains ubiquinone.
- 12. (Original) The edible oil/fat composition according to Claim 11, which contains 0.01 to 50% by weight of ubiquinone based on the total weight of the oil/fat composition.
- 13. (Currently Amended) The edible oil/fat composition according to Claim 11 or 12Claim 11,

which further contains an antioxidant and/or an edible color.

14. (Original) The edible oil/fat composition according to Claim 13, wherein the antioxidant and/or edible color is at least one species selected from the group consisting of ascorbyl palmitate, ascorbyl stearate, catechin, lecithin, tocopherol, tocotrienol, lignan, and carotenoid.

- 15. (Original) A process for producing a ubiquinone supplementation food which comprises dissolving ubiquinone in an oil/fat under heating, and adding the obtained mixture to a food material.
 - 16. (Original) The process according to Claim 15,

wherein the oil/fat has a melting point of not lower than 20°C, and the mixture to be added to a food material is obtainable by dissolving ubiquinone in said oil/fat under heating, and solidifying or plasticizing the resultant, or preparing the resultant into an oil-in-water emulsion or a water-in-oil emulsion.

17. (Original) The process according to Claim 15,

wherein the oil/fat has a melting point of below 20°C, and the mixture to be added to a food material is obtainable by dissolving ubiquinone in said oil/fat under heating, and preparing the obtained mixture into an oil-in-water emulsion.

- 18. (Currently Amended) A ubiquinone supplementation food which is obtainable by the process according to any one of Claims 15 to 17 Claim 15.
- 19. (Original) A method for preventing precipitation and/or localization of ubiquinone in a food

which comprises producing a food by dissolving ubiquinone in an oil/fat under heating and adding the obtained mixture to a food material.

20. (Original) The method according to Claim 19,

wherein the oil/fat has a melting point of not lower than 20°C, and the mixture to be added to the food material is obtainable by dissolving ubiquinone in said oil/fat under heating, and solidifying or plasticizing the resultant, or preparing the resultant into an oil-in-water emulsion or a water-in-oil emulsion.

21. (Original) The method according to Claim 19,

wherein the oil/fat has a melting point of below 20°C, and the mixture to be added to the food material is obtainable by dissolving ubiquinone in said oil/fat under heating, and preparing the resultant into an oil-in-water emulsion.

22. (Canceled)